

Hammers

SHANK SIZE

Type	A	B	C	D
TFC-200F	51	23	21	9,5

Type	A	B	C
F-25	16	12,7	28
RR-0315	16	12,7	28
TFC-257H	13	12,7	27

Type	A	B
RRI-4596R	75	25

Type	A	B
RRH-4210	40	10,2
BRH-6	40	10,2

Type	A	B	C
RRH-4210K	50	12,5	10,5
RRI-4021/3	50	12,5	10,5
RRH-2000	40	12,7	11

Type	A	B	C
AA-OB	53	15	12,7
AA-1.3B	60	17,3	14,8
AA-3B	60	17,3	14,8
THH-2BH	60	17,3	14,8
THH-3BH	60	17,3	14,8
THH-4BH	60	17,3	14,8

Type	A	B
RRI-4596/1	82	22
TCD-20	82	22

Hammers

RRH-2000	BRH-6	THA-2BRH17 / THA-3BRH17 / THA-4BRH17	
TFC-200F	RRH-4210 / RRH4210K	THH-2BH / THH-3BH / THH4BH	
TFC-257H	RRI-4021/3	RRI-4607ESK VL	
F-25	AA-OB(H)	RRI-4596 R	RRI-4612K VL
RR-0315	AA-1.3B / AA-1.3BR(H)	RRI-4612R VL	TCD-20
AA-3B			

HAMMER SET

RRH-4210KSET

RRH-4210KSET including:

- Hammer RRH-4210K
- 4 chisels: flat chisel, wide chisel, moil point, muffler cutter

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air cons. l/s	Weight kg	Inlet thread	Hose diameter mm	Vibration m/s ²	Noise level dB(A)
RRH-2000	RRA	○ 11 x ○ 12,7 x 40	17,4	42	5.000	4,5	8,4	1,5	PT 1/4"	10	8	88
TFC-200F	TOKU	□ 12,7	20	10	12.000	1,5	4,1	1,55	PT 1/4"	10	14,3	91
TFC-257H	TOKU	□ 12,7	25	34	4.000	7,9	6,7	1,73	PT 1/4"	10	14	92
F-25	YOKOTA	□ 12,7 x 16 x 28	25	22	4.000	5,1	6,0	1,8	PT 1/4"	10	12	91
RR-0315	RRA	□ 12,7 x 16 x 28	25	32	4.000	7,4	3,0	2,6	PT 1/4"	10	9,4	93
BRH-6	YOKOTA	○ 10,2 x 40	20	60	3.500	9	6,6	1,4	PT 1/4"	10	17	95
RRH-4210 ³⁾	RRA	○ 10,2 x 40	19	50	3.500	6,7	4,0	1,5	PT 1/4"	10	8	90
RRH-4210K ³⁾	RRA	○ 10,5 x ○ 12,5 x 50	19	50	3.500	6,7	4,0	1,5	PT 1/4"	10	8	90
RRI-4021/3 ⁵⁾	RRI	○ 10,5 x ○ 12,5 x 50	18	30	4.500	3,5	5,0	2,2	PT 1/2"	10	3,5	88
AA-OB(H) ¹⁾	TOKU	○ 12,7 x ○ 15 x 53	20	50	3.600	7,5	5,8	2,6	PT 3/8"	10	12	89
AA-1.3B ²⁾	TOKU	○ 14,8 x ○ 17,3 x 60	24	58	2.800	12,7	7,5	4,5	PT 3/8"	10	10	93
AA-1.3BR(H) ^{2) 4)}	TOKU	○ 14,8 x ○ 17,3 x 60	24	58	2.800	12,7	7,5	4,5	PT 3/8"	10	10	93
AA-3B ²⁾	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	79	2.400	24,2	11,7	5,8	PT 3/8"	13	10	94
THA-2BRH17	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	51	2.300	14,5	14,2	5,4	PT 3/8"	13	11,6	101
THA-3BRH17	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	64	2.200	18,3	15	5,8	PT 3/8"	13	14,4	104
THA-4BRH17	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	102	1.800	29,2	15,8	6,4	PT 3/8"	13	9,1	103
THH-2BH	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	51	2.300	15,7	14,2	6,1	PT 3/8"	13	11,6	93
THH-3BH	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	64	2.200	19,9	15,0	6,4	PT 3/8"	13	8	93
THH-4BH	TOKU	○ 14,8 x ○ 17,3 x 60	28,5	102	1.800	31,8	15,8	8,1	PT 3/8"	13	11,6	92
RRI-4607ESK VL	RRI	○ 22 x 82	34	112	1.650	29	18	8	PT 3/4"	19	4,9	104
RRI-4596/1	RRI	○ 22 x 82	34	114	1.590	51,6	15,0	10,6	PT 3/4"	13	16	101
RRI-4596 R	RRI	○ 25 x 75	34	114	1.590	51,6	15,0	10,6	PT 3/4"	13	16	101
RRI-4612K VL ⁵⁾	RRI	○ 22 x 82	35	170	1.290	81,2	16,6	12	PT 3/4"	16	3,8	105
RRI-4612R VL ⁵⁾	RRI	○ 25 x 75	35	170	1.290	81,2	16,6	12	PT 3/4"	16	3,8	105
TCD-20	TOKU	○ 22 x 82	43	60	2.000	42,4	18,0	11,4	PT 1/2"	13	16	106

¹⁾ Shank size ○ 11,0 x ○ 12,7 x 45 on request / ²⁾ Shank size ○ 14,8 x ○ 17,5 x 60 on request / ³⁾ Also available in suitcase with four chisels (see page 38)
⁴⁾ With screw cap retainer / ⁵⁾ Vibration reduced breakhammers (means give a high force per blow and a very low vibration and low noise level)

Hammers

ACCESSORIES

Quickchange chisel retainer

BRH-6	PT-2311	
RRH-4210(K)	PT-2311	

Chisel retainer

RRI-4021/3	4221-310-01	*
THH-2BH	60513	*
THH-3BH	60513	*
THH-4BH	60513	*

* Supplied as standard

Rubber ring for chisel retainer

RRI-4021/3	4221-321-00	*
RRH-4210(K)	7421002	*

* Supplied as standard

Chisel retainer spring

THH-2BH	60511	*
THH-3BH	60511	*
THH-4BH	60511	*

* Supplied as standard

Open spring

AA-1.3B	63112	*
AA-3B	63112	*
BRH-6	6101-0822-00-03	*
RRH-2000	10219 RRH-2000	*
RRH-4210(K)	2309	*

* Supplied as standard

Closed spring

AA-1.3B	63112-A	*
AA-3B	63112-A	*
BRH-6	6101-0822-00-01	*
RRH-4210(K)	7421001	*
RRI-4210/3	4221-600-00	*

* Supplied as standard

Sring and rubber ring

AA-1.3B / AA-3B	63112-R	
-----------------	---------	--

Rubber ring



AA-1.3B	63112-RU	
AA-3B	63112-RU	

Screw cap retainer

AA-OBR(H)	Y1030117H	
AA-1.3BR(H)17.3	60311.17.3	
AA-1.3BR(H)17.5	60311.17.5	

DIMENSIONS

Type	A mm	B mm
AA-0B	245	95
AA-1.3B	300	76
AA-3B	300	87
BRH-6	200	149
F-25	310	43
RRH-2000	165	40
RRH-4210	217	131
RRH-4210K	217	131
RRI-4021/3	255	100
RRI-4596	480	118
RRI-4612K VL	645	120
RRI-4612R VL	645	120
TFC-200F	189	40
THH-2BH	350	130
THH-3BH	422	130
THH-4BH	430	130
RRI-4607ESK VL	490	105
TCD-20	520	100
TPB-40	660	390
TPB-40SV	649	390
TPB-501SV	714	390
TPB-60	645	400
TJ-15	468	340
TH-5S	425	250



Breakers & rock drills



Paving breakers

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	J/Blow	Air cons. l/s	Weight kg	Air cons. l/sec	Hose diameter mm	Vibration m/s²	Noise level dB(A)
TPB-40	TOKU	○ 25 x 108	44	146	1.400	110	26	19	PT 3/4"	19	19,1	106
TPB-40SV*	TOKU	○ 25 x 108	40	146	1.050	110	26	19,5	PT 3/4"	19	5,5	106
TPB-501SV*	TOKU	○ 32 x 160	50	156	1.250	151	25	28,1	PT 3/4"	19	5,3	107
TPB-60	TOKU	○ 32 x 160	57	100	1.400	125	27	30	PT 3/4"	19	9,7	110


* SV-Vibration reduced

Rock drills

Type	Brand	Shank size mm	Bore diameter mm	Stroke mm	Blows p/min	RPM	J/Blow	Air cons l/sec	Weight kg	Inlet-thread	Vibration m/s²	Noise level dB(A)
TH-5S	TOKU	○ 19 x ○14,8 x 89	38	31	3.400	420	17	14	5,8	PT 3/8"	14	13
TJ-15SBS	TOKU	○ 22 x 82	54	45	2.450	250	44,7	26	17,4	PT 3/4"	30	19
TJ-15SV LBS*	TOKU	○ 22 x 108	54	45	2.450	250	44,7	26	17,7	PT 3/4"	7,0	19
TJ-15SV SBS*	TOKU	○ 22 x 82	54	45	2.450	250	44,7	26	17,4	PT 3/4"	7,0	19
TJ-20SV LBS*	TOKU	○ 22 x 108	68	49	2.400	200	72	41	19	PT 3/4"	10,8	100
TJ-20SV SBS*	TOKU	○ 22 x 82	68	49	2.400	200	72	41	19	PT 3/4"	10,8	100

* SV-Vibration reduced

SHANK SIZE




Type	A	B
TPB-40/40SV	108	25
TPB-50N/501SV	160	32
TPB-60	160	32
TJ-15LBS/SBS	108/82	22
TJ-20	108/82	22

Type	A	B	C
TH-5S	89	14,8	19

Chisels for air hammers


Shank size Ø 10,2 mm x 40 mm



FOR HAMMERS
- Yokota BRH-6
- Red Rooster RRH-4210

Ordernumber	Description	L (mm) total	B (mm)
BE101002	Cutting chisel	122	20
BE101003	Sheet metal trimmer	135	16
BE101004	Panel cutter	131	15
BE101005	Muffler cutter	115	15
BE101006	Bushing splitter	132	12
BE101007	Spot-weld breaker bent	79	15
BE101008	Bushing driver	63	Ø 23
BE101009	Tapered punch	132	Ø 3
BE101010	Flat chisel	120	33
BE101011	Double edged cutter	110	22
BE101012	Shear bent	132	12
BE101014	Double blade panel cutter	136	18
BE101015	Wide cutting bent	130	33
BE101016	Straight punch	120	Ø 12
BE101017	Spot-weld breaker	117	19
BE101018	Scraper	137	33
BE101019	Tail pipe cutter	119	29
BE101020	Concave scraping	130	34
BE101021	Wide cutting	129	44
BE101022	Diamond point	161	-
BE101024	Flat, bent	106	15
BE101025	River cutter	109	23
BE101027	Center punch chisel	106	Ø 9
BE101028	Pin punch	134	Ø 8

Shank size 10,5mm Hex x Ø 12.5mm x 50 mm




FOR HAMMERS
- Red Rooster RRH-4210K,
- Red Rooster RRI-4021/3

Ordernumber	Description	L (mm) total	B (mm)
BE151002	Cutting chisel	122	20
BE151003	Sheet metal trimmer	135	16
BE151004	Panel cutter	131	15
BE151005	Muffler cutter	115	15
BE151007	Spot-weld breaker bent	79	15
BE151008	Bushing driver	63	Ø 23
BE151009	Tapered punch	132	Ø 3
BE151010	Flat chisel	120	33
BE151011	Double edged cutter	110	22
BE151012	Shear bent	132	12
BE151014	Double blade panel cutter	136	18
BE151015	Wide cutting, bent	130	33
BE151016	Straight punch	120	Ø 12
BE151017	Spot-weld breaker	117	19
BE151018	Scraper	137	33
BE151019	Tail pipe cutter	119	29
BE151020	Concave scraping	130	34

(continued)


Ordernumber	Description	L (mm) total	B (mm)
BE151021	Wide cutting	129	44
BE151022	Diamond point	161	-
BE151024	Flat, bent	106	15
BE151025	Rivet cutter	109	23
BE151026	Round nose panel cutter	90	21
BE151027	Center punch chisel	106	Ø 9
BE151028	Pin punch	134	Ø 8
BE151031	Hollow gouge	155	17
BE152001	Slotting tool with carbide tip	155	30

Shank size 13,8mm Hex x 75 mm




Ordernumber	Description	L (mm) under the collar	B (mm)
CB5100105/3	Moil point	200	-
CB5100102/3	Flat chisel	110	24
CB5100104/3	Flat chisel	180	24
CB5100103/3	Wide flat chisel	180	40
CB5100107/3S	Wide flat chisel	180	60
CB5100115/3	Wide flat chisel	180	100
CBMCOVAXS	Slotting tool with carbide tip	120	35
CBMCOVAXL	Slotting tool with carbide tip	140	35

Shank size 19 mm Hex x 50 mm



Ordernumber	Description	L (mm) under the collar	B (mm)
MP5	Moil point	250	-
MP5-350	Moil point	350	-
MP5-450	Moil point	450	-
NC5	Flat chisel	250	30
NC5-350	Flat chisel	340	30
NC5-450	Flat chisel	440	30
CB5	Wide flat chisel	250	60
CB5G	Wide flat chisel, bent	250	60
CB19210	Wide flat chisel	210	95

Shank size 22 mm Hex x 82.5 mm



FOR HAMMERS
- Toku TCD-20
- Red Rooster RRI-4596/1
- Red Rooster RRI-4612K VL
- Red Rooster RRI-4607ESL VL

Ordernumber	Description	L (mm) under the collar	B (mm)
MP4	Spitzmeißel	380	-
MP4-450	Spitzmeißel	450	-
MP4-1000	Spitzmeißel	1.000	-
MP4-1500	Spitzmeißel	1.500	-

Chisels for air hammers

(continued)

Ordernumber	Description	L (mm) under the collar	B (mm)
MP4-2000	Moil point	2.000	-
NC4	Flat chisel	380	25
NC4-450	Flat chisel	450	25
NC4-1000	Flat chisel	1.000	25
NC4-1500	Flat chisel	1.500	25
NC4-2000	Flat chisel	2.000	25
CB4	Wide flat chisel	380	75
DC4	Digging chisel	400	75
AC4	Asphalt cutter	400	125


Shank size 25 mm Hex x 108 mm



FOR HAMMERS
- Toku TPB-40
- Toku TPB-40SV


Ordernumber	Description	L (mm) under the collar	B (mm)
MP3	Moil point	380	-
MP3-450	Moil point	450	-
MP3-1000	Moil point	1.000	-
MP3-1500	Moil point	1.500	-
MP3-2000	Moil point	2.000	-
NC3	Flat chisel	380	25
NC3-450	Flat chisel	450	25
NC3-1000	Flat chisel	1.000	25
NC3-1500	Flat chisel	1.500	25
NC3-2000	Flat chisel	2.000	25
CB3	Wide flat chisel	360	75
DC3	Digging chisel	400	75
AC3	Asphalt cutter	400	125

Shank size 28 mm Hex x 160 mm



Ordernumber	Description	L (mm) under the collar	B (mm)
MP2A	Moil point	380	-
MP2	Moil point	450	-
NC2A	Flat chisel	380	35
NC2	Flat chisel	450	35
CB2A	Wide flat chisel	380	75
DC2	Digging chisel	400	75
CB5819	Asphalt cutter	350	125
AC2	Heavy asphalt cutter	270	115

Shank size 32 mm 6 Hex x 160 mm




FOR HAMMERS
- Toku TPB-50N,
TPB-501SV, TPB-60

Ordernumber	Description	L (mm) under the collar	B (mm)
MP1A	Moil point	380	-
MP1	Moil point	450	-
MP1-900	Moil point	900	-
MP1-1000	Moil point	1.000	-
MP1-1500	Moil point	1.500	-
MP1-2000	Moil point	2.000	-
NC1A	Flat chisel	380	35
NC1	Flat chisel	450	35
CB1A	Wide flat chisel	380	75
DC1	Digging chisel	400	75
AC1	Heavy asphalt cutter	270	115
CB5019	Asphalt cutter	350	125
E1	Tagger plate shank	350	-
CB203001	Sheet board driver	-	57
CB203004	Sheet board driver	-	75
CB912904*	Tamper plate	-	-
CB912906**	Tamper plate	-	-

* Diameter 125 mm / ** Diameter 180 mm

Shank size Ø 25 mm x 75 mm round collar 42 mm




FOR HAMMERS
- Red Rooster RRI-4596/R
- Red Rooster RRI-4612R VL

Ordernumber	Description	L (mm) under the collar	B (mm)
B350MP	Moil point	350	-
B450MP	Moil point	450	-
B600MP	Moil point	600	-
B800MP	Moil point	800	-
B1000MP	Moil point	1.000	-
B1500MP	Moil point	1.500	-
B2000MP	Moil point	2.000	-
B3000MP	Moil point	3.000	-
B4000MP	Moil point	4.000	-
B350NC	Flat chisel	350	24
B450NC	Flat chisel	450	24
B600NC	Flat chisel	600	24
B1000NC	Flat chisel	1.000	24
B1250NC	Flat chisel	1.250	24
B1500NC	Flat chisel	1.500	24
B2000NC	Flat chisel	2.000	24
B3000NC	Flat chisel	3.000	24
B4000NC	Flat chisel	4.000	24
B400AC	Asphalt cutter	400	125

Chisels for air hammers


Shank size 12,4mm Hex / Ø 15 mm x 55mm



FOR HAMMERS
- BMH19

Ordernumber	Description	L (mm) under the collar	B (mm)
CB1911190	flat chisel	190	23
CB1918200	Wide flat chisel	200	50
CB1917210	Wide flat chisel	210	95


Shank size 12,7mm Hex / Ø 15 mm x 53mm



FOR HAMMERS
- Toku AA-OB

Bestelnummer	Description	L (mm) total	B (mm)
BEAA-OB-01	Flat chisel	154	16
BEAA-OB-01 400MM	Flat chisel	400	16
BEAA-OB-02	Diamond point	155	-
BEAA-OB-02 400MM	Diamond point	400	-
BEAA-OB-03	Flat chisel	157	25
BEAA-OB-04	Flat chisel	157	49
BEAA-OB-05	Flat chisel	160	97
BEAA-OB-06	Flat chisel bent	148	50


Shank size 14,8mm Hex / Ø 17,3mm x 60mm



FOR HAMMERS
- Toku AA-1.3B, AA-3B

Ordernumber	Description	L (mm) under the collar	B (mm)
CB3210260	Moil point	260	-
CB3210450	Moil point	450	-
CB418	Round nose	210	-
CB420	Diamond point	155	-
CB3211260	Flat chisel	380	22
CB3211330	Flat chisel	330	20
CB424	Flat chisel	155	50
CB426	Flat chisel	155	38
CB3218200	Wide flat chisel	200	50
CB3218200G	Wide flat chisel, bent	200	60
CB3217210	Wide flat chisel	210	95
CB3217210G	Wide flat chisel, bent	210	95
CBCP6	Adaptor for bush head	200	-


Shank size 14,8mm Hex / Ø 17,3mm x 60mm oval collar



FOR HAMMERS
- Toku THH-2B H,
THH-3B H, THH-4B H

Ordernumber	Description	L (mm) under the collar	B (mm)
HS1-OC	Blank chisel	200	-
HS2-OC	Flat chisel	200	24
HS2-300-OC	Flat chisel	300	24
CB304	Flat chisel	158	24
CB304-12	Flat chisel	234	24
CB304-18	Flat chisel	386	24
CB324-24	Flat chisel	610	50
HS2-32-OC	Wide flat chisel	200	32
HS2-50-OC	Wide flat chisel	200	50
HS6-OC	Moil point	200	50
HS6-300-OC	Moil point	300	-


Shank size 17 mm Hex / Ø 20mm x 60mm



FOR HAMMERS
- Böhler MH


Ordernumber	Description	L (mm) under the collar	B (mm)
CB3310220	Moil point	220	-
CB3311220	Flat chisel	220	24
CB3318200	Wide flat chisel	260	50
CB3317210	Wide flat chisel	210	95

Shank size 27mm x 80mm / Collar 34mm square



Ordernumber	Description	L (mm) under the collar	B (mm)
CB1362010045	Moil point	400	-
CB1362011045	Flat chisel	400	27
CB1362050036	Wide flat chisel	360	75
CB1362120040	Asphalt cutter	400	125

Shank size 11 mm Hex / Ø 12,7 mm x 40mm




FOR HAMMERS
- RRH-2000

Ordernumber	Description	L (mm) total	B (mm)
CB51109165	Flat chisel	165	18
CB51112180	Wide flat chisel	180	33
CB51104190	Wide flat chisel, bent	190	33
CB51103185	Wide flat chisel	185	45
CB51115180	Moil point	180	-
CB51193180	Slotting tool with carbide tip	180	38


Chisels for air hammers

Shank size 13mm square, with RRC recess



Ordernumber	Description	L (mm) total	B (mm)
CB3251	Flat chisel	178	19
CB3251-300	Flat chisel	300	19
CB3251-450	Flat chisel	450	19
CB3252	Wide flat chisel	155	38
CB3252-300	Wide flat chisel	300	38
CB3253	Wide flat chisel, bent	178	38
CBMCCORRC13.2	Slotting tool with carbide tip	150	38


Shank size 12,7mm square, with recess



FOR HAMMERS
- Yokota F-25
- Red Rooster RR-0315

Ordernumber	Description	L (mm) total	B (mm)
BE15/1B	Flat, bent	113	19
BE15/1F	Flat chisel	114	19
BE15/1G	Wide flat chisel, bent	113	35
BE15/1W	Wide flat chisel	118	35
8160-1002-00-00	Flat, bent	113	26
CBMCOF25-150	Slotting tool with carbide tip	150	35


Shank size 12,7mm square, with recess



FOR HAMMER
- Toku TFC-200F

Ordernumber	Description	L (mm) total	B (mm)
BE14/1A	Moil point	180	-
CB40902180	Flat chisel	180	19
CB40904180	Wide flat chisel, bent	180	35
CB40906180	Wide flat chisel, bent	180	50
CB40903180	Flat chisel	180	35


Shank size 12,7mm square, with recess



FOR HAMMER
- Cleco

Ordernumber	Description	L (mm) total	B (mm)
CB393-18	Wide flat chisel	450	35
CB390	Wide flat chisel	178	50
CB390-3	Wide flat chisel	178	75


Shank size 12,7mm square, with recess



FOR HAMMER
- CP

Ordernumber	Description	L (mm) total	B (mm)
CB396	Flat chisel	178	19
CB396-300	Flat chisel	300	19
CB396-450	Flat chisel	450	19
CB397	Wide flat chisel	178	35
CB397-300	Wide flat chisel	300	35
CB397-450	Wide flat chisel	450	35
CB398	Wide flat chisel, bent	178	35


Shank size 12,7mm square, with recess



FOR HAMMER
- Toku TFC-257H

Ordernumber	Description	L (mm) total	B (mm)
CB382	Flat chisel	178	19
CB382-12	Flat chisel	300	19
CB382-18	Flat chisel	450	19
CB383	Wide flat chisel	178	35
CB383-12	Wide flat chisel	300	35
CB384	Wide flat chisel, bent	178	35
CB380	Wide flat chisel	178	50
CB380-3	Wide flat chisel	200	75
CBMCOIR180	Slotting tool with carbide tip	200	38

Shank size JUMBO square



FOR HAMMER
- IR9001 (e.g.)

Ordernumber	Description	L (mm) total	B (mm)	Ø
CB296	Moil point	250	-	-
CB297	Moil point	300	-	-
CB276	Flat chisel	250	24	-
CB276-12	Flat chisel	300	24	-
CB276-18	Flat chisel	450	24	-
CB278	Punch	250	-	10
CB279	Punch	250	-	13
CB280	Punch	250	-	16
CB281	Punch	250	-	19
CB282	Punch	250	-	22
CB283	Punch	250	-	25
CB284	Punch	250	-	28